

# FOSS® Manufacturing Company, LLC.

## Safety Data Sheet

### Section I - Identification

|  |   |   |   |
|--|---|---|---|
| <b>TEE TIME</b>  |   | <i>This material is an "Article" and is considered non-hazardous by OSHA Hazard Communication Standard 29 CFR 1910.1200</i> |   |
| Manufacturer's Name<br><b>FOSS MANUFACTURING COMPANY, LLC.</b> | Emergency Telephone Number<br><b>(603) 929-6000</b> | Address (Number, Street, State and Zip Code)<br><b>11 Merrill Industrial Drive</b>  | Telephone Number for Information<br><b>(603) 929-6000</b> |
| <b>HAMPTON, NH 03842</b>                                       | Date Prepared<br><b>03/23/16</b>                    | Preparer<br><b>A.Plue</b>   |   |

### Section II - Hazards

None per CFR 1910.1200

### Section III - Components

|                                      | CAS #      | OSHA PEL | ACGIH TLV | Others |
|--------------------------------------|------------|----------|-----------|--------|
| Recycled Polyester (PET)             | 25038-59-9 | NA       | NA        | NA     |
| PET Binder Fiber                     | 25038-59-9 | NA       | NA        | NA     |
| Miscellaneous Pigments and Additives | NA         | NA       | NA        | NA     |

### Section IV - First Aid

Flush eyes with water for at least 10 minutes. Contact with molten material should be treated as a thermal burn. Seek medical attention for all burns, particularly if in the facial area.

### Section V - Fire Fighting Measures

Extinguishing Media

**Water fog, foam dry (ABC)**

Special Fire Fighting Procedures

**Use full bunker gear including NIOSH approved breathing apparatus**

Unusual Fire and/or Explosion Hazards

**Treat as a solid that burns generally with low smoke density**

### Section V I- Accidental Release Measures

Steps to Be Taken in Case Material Is Released or Spilled

**Shovel, sweep or vacuum. Avoid generating dust clouds.**

Waste Disposal Method

**Place in an appropriate container and dispose of in compliance with all federal, state and local ordinances.**

## Section VII - Precautions for Safe Handling and Storage

Precautions to Be Taken in Handling and Storing

**Treat as a solid that can burn**

Other Precautions

**Store away from oxidizing agents**

## Section VIII - Personal Protection

Health Hazards (*Acute and Chronic*)

**None known**

**Product fines, dust may cause mechanical irritation**

Respiratory Protection (*Specify Type*)

**Not required, but appropriate dust mask can be used if product dust is present**

|             |                               |                    |         |            |
|-------------|-------------------------------|--------------------|---------|------------|
| Ventilation | Local Exhaust                 |                    | Special | <b>N/A</b> |
|             | Mechanical ( <i>General</i> ) | <b>Recommended</b> | Other   | <b>N/A</b> |

Protective Gloves

**Not required**

Eye Protection

**ANSI Z87 safety glasses recommended**

Other Protective Clothing or Equipment

**Not required**

Work/Hygienic Practices

**Use good industrial hygiene practices and procedures**

## Section IX - Physical and Chemical Properties

|                           |                                 |   |                       |                   |
|---------------------------|---------------------------------|---|-----------------------|-------------------|
| Boiling Point             | <b>Not applicable</b>           | Specific Gravity (H <sub>2</sub> O = 1) | <b>Not applicable</b> |                   |
| Vapor Pressure (mm Hg)    | <b>Not applicable</b>           | Melting Point                           | <b>258°C</b>          |                   |
| Vapor Density (AIR = 1)   | <b>Not applicable</b>           | Evaporation Rate                        | <b>Not applicable</b> |                   |
|                           |                                 | (Butyl Acetate = 1)                     |                       |                   |
| Solubility in Water       | <b>Insoluble</b>                |   |                       |                   |
| Appearance and Odor       | <b>Solid . No distinct Odor</b> |   |                       |                   |
| Flash Point (Method Used) | <b>Not applicable</b>           | Flammable Limits                        | LEL<br><b>N/A</b>     | UEL<br><b>N/A</b> |

## Section X - Stability and Reactivity

|          |            |                     |
|----------|------------|---------------------|
| Unstable |            | Conditions to Avoid |
| Stable   | <b>XXX</b> | <b>None known</b>   |

Incompatibility (*Materials to Avoid*)

**Strong oxidizing agents**

Hazardous Decomposition or Byproducts

**CO, CO<sub>2</sub>, and small amounts of aliphatic and aromatic hydrocarbons**

|                |                |            |                     |
|----------------|----------------|------------|---------------------|
| Hazardous      | May Occur      |            | Conditions to Avoid |
| Polymerization | Will Not Occur | <b>XXX</b> | <b>None known</b>   |

## Section XI - Toxicological Information

|                  |                    |                                |                               |
|------------------|--------------------|--------------------------------|-------------------------------|
| Carcinogenicity: | NTP?<br><b>N/A</b> | IARC Monographs?<br><b>N/A</b> | OSHA Regulated?<br><b>N/A</b> |
|------------------|--------------------|--------------------------------|-------------------------------|

## Section XII - Ecological Information

**No Data available**

## Section XIII - Disposal

**Material as supplied is non-hazardous . Material may be recyclable in certain areas. Comply with local , state and federal regulations..**

## Section XIV - Transport

---

---

Not Regulated

---

---

---

**Section XV - Regulatory Information**

---

Not Regulated

---

Complies with the requirements of California Proposition 65 , REACH and ROHS

---

---

---

**Section XVI - Other Information**

---